W

	Application No.	Applicant(s)
Notice of Allowability	10/058,609	SUGIYAMA, TADASHI
	Examiner	Art Unit
	Hoan H. Tran	2852
	Tioairii. Iraii	2002
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communic IGHTS. This application is sub	is application. If not included cation will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 03/15/2006</u> .		
2. The allowed claim(s) is/are <u>1-16</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the:		(f).
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		·
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the he header according to 37 CFR	drawings in the front (not the back) of 1.121(d)
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
·		
Attachment(s)	C Matter of later	
1. Notice of References Cited (PTO-892)		mal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Sum Paper No./Ma	ail Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0		nendment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's St	atement of Reasons for Allowance
of Biological Material	9. 🗌 Other	
•		

Application/Control Number: 10/058,609

Art Unit: 2852

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Claims:

- Claim 2, line 6, "holda" has been changed to --hold a--.

' Allowable Subject Matter

- 2. Claims 1-16 are allowed.
- 3. The following is a statement of reasons for the indication of allowable subject matter:

None of the prior art of record teaches or suggests a process unit comprising first and second projecting members arranged at the first and second image carrier unit holder covers, and first and second recess portions formed in the first and second image carrier unit holder covers, respectively; wherein the first projecting member is engaged with the first recess portion and the second projecting member is engaged with the second recess portion by moving the projecting members with respect to the recess portion along a longitudinal direction of the image carrier unit and the developer unit, and at least one fixation tool configured to fix at least one of: the first projecting member to the first recess portion, and the second projecting member to the second recess portion.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoan H. Tran whose telephone number is (571) 272-2141. The examiner can normally be reached from 8:30 AM - 5:00 PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Arthur Grimley can be reached at (571) 272-2136. The central office fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

HHT May 14, 2006

HOANTRAN
PRIMARY EXAMINER




FIG. 1